Extrachromosomal DNA: New players in oncology



Submission: 30-08-2024 Revision: 08-09-2024 Publication: 01-10-2024

DNA that is found outside the main chromosomes in a cell's nucleus is known as extrachromosomal DNA (ecDNA).1 This type of DNA is not part of the standard 23 pairs of chromosomes in humans and instead exists as standalone circular or linear DNA structures. Unlike bacterial plasmids, ecDNA in human cells contains important genetic material and holds particular significance in cancer cells. Critical characteristics of ecDNA in Cancer are that they frequently harbor amplified versions of oncogenes such as MYC, EGFR, and CCND1.2 These oncogenes propel the growth and survival of tumors.³ Cancer cells utilize ecDNA to generate multiple copies of these oncogenes, amplifying their expression without requiring alterations to the chromosomal structure.⁴ This amplification grants the cancer cells a competitive edge in growth. ecDNA plays a crucial role in the advancement and growth of cancer, as it amplifies oncogenes, genetic diversity, and resistance to treatments.⁵ Its adaptable and ever-changing characteristics empower cancer cells to adjust to external influences such as medication. Gaining insights into ecDNA's operations and impacts could lead to new possibilities for diagnosing and treating cancer, as well as developing therapies aimed at this distinct DNA structure.

Ruby Dhar¹, Arun Kumar², Subhradip Karmakar³

¹Scientist, Room 3020, ³Additional Professor, Department of Biochemistry, All India Institute of Medical Sciences, New Delhi, ²Professor, Department of Biochemistry, Narayan Medical College, Gopal Narayan Singh University, Sasaram, Bihar, India

Address for Correspondence:

Dr. Subhradip Karmakar, Additional Professor, Department of Biochemistry, All India Institute of Medical Sciences, New Delhi, India. **Mobile:** +91-9999612564.

E-mail: subhradipaiims@gmail.com Dr. Arun Kumar, Professor, Department of Biochemistry, Narayan Medical College, Gopal Narayan Singh University, Sasaram, Bihar, India. **Mobile:** +91-7584089886.

E-mail: profdrarunk@gnsu.ac.in

Access this article online

Naheita.

http://nepjol.info/index.php/AJMS **DOI:** 10.3126/ajms.v15i10.69596

E-ISSN: 2091-0576 P-ISSN: 2467-9100

Copyright (c) 2024 Asian Journal of Medical Sciences



This work is licensed under a Creative Commons Attribution-NonCommercial 4.0 International License.

REFERENCES

- Zhao Y, Yu L, Zhang S, Su X and Zhou X. Extrachromosomal circular DNA: Current status and future prospects. Elife. 2022:11:e81412.
 - https://doi.org/10.7554/eLife.81412
- DongY,HeQ,ChenX,YangF,HeLandZhengY.Extrachromosomal DNA (ecDNA) in cancer: Mechanisms, functions, and clinical implications. Front Oncol. 2023;13:1194405.
 - https://doi.org/10.3389/fonc.2023.1194405
- Wu S, Bafna V, Chang HY and Mischel PS. Extrachromosomal DNA: An emerging hallmark in human cancer. Annu Rev Pathol. 2022;17:367-386.
 - https://doi.org/10.1146/annurev-pathmechdis-051821-114223
- Wu S, Turner KM, Nguyen N, Raviram R, Erb M, Santini J, et al. Circular ecDNA promotes accessible chromatin and high oncogene expression. Nature. 2019;575(7784):699-703. https://doi.org/10.1038/s41586-019-1763-5
- de Carvalho AC, Kim H, Poisson LM, Winn ME, Mueller C, Cherba D, et al. Discordant inheritance of chromosomal and extrachromosomal DNA elements contributes to dynamic disease evolution in glioblastoma. Nat Genet. 2018;50(5):708-717. https://doi.org/10.1038/s41588-018-0105-0

Authors Contributions:
RD, AK and SK- Contributed equally toward scripting of this editorial.

Department of Biochemistry, All India Institute of Medical Sciences, New Delhi, India and Department of Biochemistry, Narayan Medical College, Gopal Narayan Singh University, Sasaram, Bihar, India.

Dr. Ruby Dhar - 10 https://orcid.org/0000-0003-3600-6554
Dr. Arun Kumar - 10 https://orcid.org/0000-0002-8800-0296 Dr. Subhradip Karmakar - 6 https://orcid.org/0000-0002-4757-8729

Source of Support: Nil, Conflicts of Interest: None declared.