



# Journal of Chitwan Medical College 2019;9(28):47-53 Available online at: www.jcmc.cmc.edu.np

### **ORIGINAL RESEARCH ARTICLE**

## AWARENESS, KNOWLEDGE AND WILLINGNESS REGARDING EYE DONATION AMONG DENTAL STUDENTS OF KIST MEDICAL COLLEGE AND TEACHING HOSPITAL, LALITPUR, NEPAL

Anjila Basnet<sup>1,\*</sup>, Pragya Singh Basnet<sup>1</sup>, Ram Sudhan Lamichhane<sup>2</sup>, Prabhat Shrestha<sup>2</sup>

<sup>1</sup>Department of Ophthalmology, KIST Medical College and Teaching Hospital, Lalitpur, Nepal

<sup>2</sup>Department of Dentistry, KIST Medical College and Teaching Hospital, Lalitpur, Nepal

Received: 28 May , 2019 Accepted: 12 June, 2019 Published: 15 June, 2019

**Key words**: Awareness; Dental students;

Eye donation.

\*Correspondence to: Anjila Basnet, Department of Ophthalmology, KIST Medical College and Teaching Hospital,Lalitpur, Nepal. Email: dranjilabasnet@gmail.com

DOI:http://doi.org/10.3126/jcmc.v9i2.24533

#### Citation

Basnet A, Basnet PS, Lamichhane RS, Shrestha P. Awareness, knowledge and willingness regarding eye donation among dental students of KIST medical college and teaching hospital, Lalitpur, Nepal. Journal of Chitwan Medical College. 2019; 9(28):47-53.



#### ABSTRACT

**Background**: Corneal disease constitutes a significant cause for visual impairment and blindness in the developing world. Visual rehabilitation by corneal transplantation for which increased awareness regarding an eye donation is essential, remains the only treatment option for restoring sight in those who suffer from corneal blindness. Hence, the present study conducted to assess the awareness, knowledge and willingness about eye donation among dental students of KIST medical college & teaching hospital, Nepal

**Methods**: A cross-sectional study was carried out in KIST medical college and teaching hospital in Nepal during the period of 21st to 30th April 2019. A total of 185 dental students were selected as study group by convenience sampling technique. A Semi-structured questionnaire was used for data collection and analyzed by using SPSS 16. Descriptive statistics and Chi square/ Fischer exact tests were used for data analysis.

**Results**: Out of total 185 dental students who participated in this study, 176 (95.1%) were aware about eye donation, 133 (71.9%) knew that the cornea is used for eye donation and 70 (37.8%) knew that ideal time for eye donation is within six hours of death. Awareness regarding eye donation in male and female students was found to be statistically significant (p = 0.013).

**Conclusions**: The present study revealed that most of the dental students were aware regarding eye donation and most of them were willing to donate their eyes. Awareness regarding eye donation will form the prime base for the elimination of avoidable corneal blindness in Nepal.

### **INTRODUCTION**

One of the major causes for visual impairment and blindness in the developing world has been attributed to corneal disease. According to the 2010 global blindness estimate, it accounts for around 4% of the total burden of 50 million. To enhance the awareness of corneal donations further, raising the level of public education on eye donation was the most important first primary step. Eye donation is an act of donating one's eye after his/her death. Only corneal blinds can be benefitted through this process not other blinds. Hence, this pledge of eye donation is purely an act of charity, for the benefit of the society and is totally a voluntary work. Well

informed medical students could be expected to influence and increase the eye donation rates. One of the obstacles in eye donation is lack of awareness and a negative attitude among general population as well. The willingness about eye donation among medical fraternity definitely will affect the attitude among general population. Since the dental students currently enrolled in various medical and dental schools are the future health-care providers for the community, well informed dental students are expected to influence eye-donation rates. The study was aimed to determine the awareness and willingness regarding eye donation among dental students.

#### **METHODS**

A cross-sectional study was carried out at KIST Medical College and Teaching Hospital, Nepal during the period of 21<sup>st</sup> to 30<sup>th</sup>April 2019. Ethical clearance was obtained from the Institutional Review Committee (IRC) of KIST Medical College (IRC No: 2075/76/68). This study was conducted by the Department of Ophthalmology in consultation with the Dental Department. Dental students from all the academic semesters were included in this study. Students who were absent in the class during the data collection and those who submitted the incomplete questionnaire were excluded from the study.

A total of 185 dental students were selected by convenience sampling. Data collection was meticulously done by the faculties of dental sciences. The students were asked to fill up a semi-structured questionnaire for collecting the necessary informa-

tion after signing an informed written consent. The questionnaire was related to demographic profile, their awareness, knowledge and willingness to donate eyes.<sup>5</sup> Information given by the participants and their identity were kept strictly confidential.

Data were entered in MS Excel sheet and was statistically analyzed by SPSS 16. Descriptive statistics and Chi square/ Fischer exact tests were used for data analysis. p-value less than 0.05 was considered significant for the tests.

#### **RESULTS**

A total of 185 dental students participated in the study, out of which 37 (20%) were males and 148 (80%) were female students. The age ranged from 18 to 25, with a mean age is 20.96 and standard deviation of 1.64 years (Table 1).

Table 1: Distribution of study population according to the socio-demographic characteristics (n=185)

Variables	Frequency(n)	Percentage (%)			
Males	37	20			
Females	148	80			
Total	185	100			
Type of family					
Nuclear	137	74.1			
Joint	38	20.5			
Three Generation	10	5.4			
Total	185	100			
Religion					
Hindu	172	93			
Buddhist	11	5.9			
Muslims	1	0.5			
Christians	1	0.5			
Total	185	100			
Education					
First year	36	19.5			
Second year	47	25.4			
Third year	40	21.6			
Fourth year	62	33.5			
Total	185	100			

It is evident from Table 2, out of 185 total students, 176 (95.1%) were aware about eye donation. Maxi-

mum number of students, 81 (44.8%) knew about eye donation through television followed by inter-

net (24.3%), friends and relatives (9.9%) and newspaper (7.7%) respectively.

Among the total 185 students , 50 (27%) students thought that the relatives of donor will get money for eye donating their eyes where as 135(73%) students were aware that they will not get any finan-

cial benefit for eye donation .Out of those who were aware, 33(89.2%) were males and 102(68.9%) were females. The awareness regarding eye donation was found to be statistically significant with the gender of the participants (p=0.013).

Table 2: Distribution of study population according to the awareness regarding eye donation (n=185)

Variables	Males (n=37) No %	Females (n=148) No %	Total (n=185) No %	Chi- square/ Fisher exact	p-value
1.Do you know about eye donation :					
Yes	37 (100%)	139 (93.9%)	176 (95.1%)	2.36	0.124
No	0	9 (6.1%)	9 (4.9%)		
2. Source of Information about eye don	ation				
a.Newspaper	6 (16.2%)	8 (5.6%)	14 (7.7%)		
b.Television	12 (32.40%)	69 (47.9%)	81 (44.8%)		
c.Radio	3 (8.1%)	1 (0.7%)	4 (2.2%)	13.78	0.032
d.Internet	9 (24.4%)	35 (24.5%)	44 (24.3%)		
e.Public hoardings	1 (2.7%)	6 (4.2%)	7 (3.9%)		
f.Friends & Relatives	3 (8.1%)	15 (10.4%)	18 (9.9%)		
g.Doctors & Hospital staff	3 (8.1%)	5 (3.5%)	8 (4.4%)		
3.Do you know whom to contact for eye donation:					
Yes	6 (16.2%)	26 (17.6%)	32 (17.3%)	0.038	0.846
No	31 (83.8%)	122 (82.4%)	153 (82.7%)		
4.Do you think there is shortage of eye	donors in Nep	al:			0.534
Yes	34 (91.9%)	140 (94.6%)	174 (94.1%)	0.387	
No	3 (8.1%)	8 (5.4%)	11 (5.9%)		
5.Do you know any eye bank in Nepal:					0.554
Yes	3 (8.1%)	17 (11.5%)	20 (10.8%)	0.35	
No	34 (91.9%)	131 (88.5%)	165 (89.2%)		
6.Do the relatives of donor get any money for eye donation :					
Yes	4 (10.8%)	46 (31.1%)	50 (27%)	6.167	0.013
No	33 (89.2%)	102 (68.9%)	135 (73%)		
7.Do you think eye donation causes disfigurement of the face :					
Yes	12 (32.4%)	43 (29.1%)	55 (29.7%)	0.162	0.688
No	25 (67.6%)	105 (70.9%)	130 (70.3%)	]	

Table 3: Distribution of study population according to the knowledge regarding eye donation

Variables	Males (n= 37) No.(%)	Females(n=148) No.(%)	Total (n=185) No.(%)	Chi square/ Fisher exact	p- value
1.Do you know that eyes can	1401(70)	140.(70)	110.(/0)	TISTICI CAGCC	Value
be donated :					
A.C. 1					
a.After death	16(43.2%)	42(28.4%)	58(31.4%)		
b.Living c.Both	2(5.4%)	3(2.0%)	5(2.7%)	5.108	0.062
C.Both	19(51.4%)	103(69.6%)	122(65.9%)		
2.What is removed from the					
donor eye :					
a.Whole eye	1(2.7%)	3(2.0%)	4(2.2%)		
b.Cornea	32(86.5%)	101(68.2%)	133(71.9%)		
c.Lens	0 '	1(0.7%)	1(0.5%)	6.957	0.104
d.Retina	0	14(9.5%)	14(7.6%)		
e.Don't know	4(10.8%)	29(19.6%)	33(17.8%)		
3.Ideal time for eye donation					
(Time after death ) is :					
a.Within 2 hrs					
b.Within 6 hrs	8(21.6%)	44(29.7%)	52(28.1%)		
c.Within 1 day	18(48.6%)	52(35.1%)	70(37.8%)	7.803	0.05
d. Anytime after death	6(16.2%) 5(13.5%)	45(30.4%) 7(4.7%)	51(27.6%) 12(6.5%)	7.000	0.00
4.Donated eyes are used for :	3(13.370)	7(4.770)	12(0.570)		
•	0(00()	4/2 70/)	4 (2 20()		
a.Transplant full eyeball	0(0%)	4(2.7%) 92(62.2%)	4 (2.2%)	7.292	0.042
b.Cornea transplant c.Lens transplant	32(86.5%) 0(0%)	3(2.0%)	124(67%) 3(1.6%)	7.292	0.042
d.Don't know	5(13.5%)	49(33.1%)	49(33.1%)		
5.Is there any age limit for					
donor:					
Yes	10(27%)	63(42.6%)	73(39.5%)	2.992	0.084
No	27(73%)	85(57.4%)	112(60.5%)		
6.Can a person with commu-					
nicable disease donate eyes :					
Yes					
No	21(56.8%)	63(42.6%)	84(45.4%)		
	16(43.2%)	85(57.4%)	101(54.6%)	2.404	0.121
7. One donor can give sight to :					
	,.				
a. One blind person	17(45.9%)	88(59.5%)	105(56.8%)	2.753	0.252
b. Two blind person	19(51.4%)	54(36.5%)	73(39.5%)		
c. More than two blind person	1(2.7%)	6(4.1%)	7(3.8%)		

It was observed from Table 3, majority of the dental students 133 (71.9%) were aware that the cornea can be removed separately. Only 70 (37.8%) participants knew that the ideal time for eye donation is within six hours of death.

Of the 185 respondents, 124(67%) participants had the knowledge that the donated eyes are used for corneal transplantation. Among them 32(86.5%) were males and 92(62.2%) were females. The knowledge regarding eye donation was found to be statistically significant with the gender of the participants (p= 0.042).

Table 4 summarizes the student's willingness regarding eye donation. Among 185 dental students, 111(60%) students were willing to donate their eyes and 70 (37.8%) students were willing to donate the eyes of their close relatives. Out of 111 students who were willing to donate eyes, 68 (61.3%) felt pleasure in helping the blind, 27 (24.3 %) thought eye donation as a noble cause and 10 (9.0%) students told they were influenced by the knowledge they received during their academic classes. Only 74(40 %) students were not willing to donate the eyes.

Table 4: Distribution of study population according to the willingness regarding eye donation

Variables	Males (n=37) No.(%)	Female (n=148) No.(%)	Total (n=185) No.(%)	Chi square/ Fisher exact	p-value
1.Are you willing to donate your eyes:					
Yes No	19(51.4%) 18(48.6%)	92(62.2%) 56(37.8%)	111(60.0%) 74(40.0%)	1.441	0.23
2. Are you willing to donate your close relative's eyes : Yes No	11(29.7%) 26(70.3%)	59(39.9%) 89(60.1%)	70(37.8%) 115(62.2%)	1.293	0.256
3. If yes ,reasons for donating eye: a. Nobel cause b.Pleasure to help the blind c.Inspired by article/magazine d. Influenced by knowledge in academics e. Friend/relative received cornea f. Friend/relative donated cornea	6(31.6%) 12(63.2%) 0(0%) 1(5.3%) 0	21(22.8%) 56(60.9%) 4(4.3%) 9(9.8%) 1(1.1%) 1(1.1%)	27(24.3%) 68(61.3%) 4(3.6%) 10(9.0%) 1(0.9%)	2.106	0.834
4.Reason for not donating eyes: a.Objection by family members b.Not eligible due to health problem c.Not sure of correct use of cornea after extraction d.Signing eye donation card is like signing death certificate e.Lack of awareness	7(38.9%) 0 2(11.1%) 1(5.6%) 8(44.4%)	18(32.1%) 6(10.7%) 8(14.3%) 3(5.4%) 21(37.5%)	25(33.8%) 6(8.1%) 10(13.5%) 4(5.4%) 29(39.2%)	2.382	0.666
5.Have you already given consent & signed the eye donation card : Yes	0 37(100%)	1(0.7%) 147(99.3%)	1(0.5%) 184(99.5%)	0.251	1
6.Even relatives can pledge for eye donation after one is dead Yes	29(78.4%) 8(21.6%)	93(62.8%) 55(37.2%)	122(65.9%) 63(34.1%)	3.182	0.074

#### DISCUSSION

Corneal ulcers have also been recognized as one of the major cause of blindness in developing countries. Corneal diseases including keratitis or trauma resulting in corneal scarring are a major cause of bilateral or unilateral blindness and visual impairment in children and young adults. Although strategies to prevent corneal blindness are likely to be more cost effective, visual rehabilitation by corneal transplantation remains the major treatment for restoring sight in those who already have corneal blindness. Review has revealed lack of knowledge and negative attitude regarding organ donation amongst health professionals.

In our study, out of total 185 dental students, 176 (95.1%) were aware about eye donation, only 111(60%) of them were willing to pledge their eyes for donation, and merely 70(37.8%) of them were willing to donate their relative's eyes. A similar study which was conducted in Bhopal city showed that 98% of the total students had heard about eye donation previously, only 46% of them were willing to pledge their eyes for donation, and merely 22% of them were willing to donate their relative's eyes. <sup>10</sup>

In this study, 81(44.8%) of students knew about eye donation through television followed by Internet 44 (24.3%), friends and relatives 18 (9.9%) or newspaper 14 (7.7%). In contrast to our study, Singh MM et al showed that 77.8% of the students knew about eye donation via television. Using mass media to increase the awareness regarding eye donation is not enough. There is a great need to educate the students, as they are important part of our society.

Present study revealed that 18(48.6%) males and 52(35.1%) females had knowledge that eyes could be removed within the first 6 hours after death for effective use. Singh M et al found that 61% of students knew correct time of eye donation. Our study observed that only 20 (10.8%) of the students knew about any existing eye bank in Nepal. However, Nekar MS et al in their study reported that 74% of the college students at Hubli knew about eye banks in their surroundings. If the students are aware about eye bank then they can raise the awareness among their family members and general population, thus ultimately enhancing eye donation rates.

Only 58 (31.4%) of the dental students had knowl-

edge that eye can be donated only after death. In contrast to our study, Singhet al reported that 99% of the medical students knew that eyes can be donated only after death. Similarly, study done by Dhaliwal reported that 79% of the medical students at Delhi knew that eyes can be donated only after death.

#### **CONCLUSION**

The present study concluded that majority of the dental students were aware regarding eye donation and most of them were willing to donate their eyes. The outcome of this study focuses the fact that although most of the students are in goodwill of active involvement to transmit the knowledge, but absence of awareness is the main obstacle. So continuous awareness programmes and camps should be held and should include not only the community population but also for the undergraduate medical and dental students. Since the present medical, dental and nursing students are the future healthcare providers for the community, well informed students and the staffs of the hospitals are expected to influence eye donation rates. This can be achieved by educating the practicing doctorson the importance of eye donation and benefits of corneal transplantation and training them to motivate the families of ill patients to pledge for eye donation.

#### **ACKNOWLEDGEMENT**

The authors express their sincere thanks to all the students for sparing their time to participate in this study.

Conflict of Interest: None Sources of Support: None

#### **REFERENCES**

- 1. Krishnaian S ,Kovai V, Nutheti R, Shamanna BR, Thomas R, Rao GN, et al .Awareness of eye donation in rural population of India.Indian J Ophthal.2004;52:73-8. [PMID:15132388]
- Priyadarshan B, Srinivasan M, Padmavathi A, Selvam S,Saradha R, Nirmalan PK. Awareness of eye donation in an adult population of Southern

- India. A pilot study .Indian J Ophthalmol. 2003;51(1):101-4.[PMID:12701874]
- 3. Tiwari R, et al . A study to assess awareness regarding eye donation among post graduate medical students admitted through NEET pre PG 2014 of Gajra Raja medical college Gwaloir, M.P., India Int J Res Med Sci . 2015 Apr; 3(4):871-5. [DOI:10.5455/2320-6012.ijrms 20150409]
- 4. Kannan KA.Eye donation movement in India. J Indian Med Assoc 1999;97:318-9. [PMID:10643183]
- Ahirwar RK et al. Study of knowledge and willingness regarding eye donation among medical students of a tertiary care teaching hospital of central India. Int J Community Med Public Health.2016 Sep;3(9):2363-68. [DOI:http://dx.doi.org/10.18203/2394-6040. ijcmph20162606]
- Whitcher JP, Srinivasan M.Corneal ulceration in the developing world-a silent epidemic .Br J Ophthalmol.1997;81:622-3.[DOI: 10.1136/ bjo.81.8.622.]
- 7. Witcher JP, Srinivasan M, Upadhyay MP.Corneal blindness: a global perspective .Bulletin WHO. 2001;79:214-21.[DOI:10.18231/2395-1451.2018.0049]
- 8. Dandona L, Dandona R, Shrinivas M et al. Blindness in Indian state of Andhra Pradesh. Invest Ophthalmol Vis Sci. 2001;42:908-

- 16.[DOI:https://doi.org/10.3126/nepjoph. v6i2.11700]
- 9. Saini JS, Reddy MK, Jain AK, et al. Prespectiveness in eye banking. Indian J Ophthalmol. 1996;44:47-55 [PMID: 8828309]
- 10. Kumar S, Shukla US, Agarwal P. Awareness and knowledge on eye donation among students at Bhopal. Natl J Community Med.2012;3(4):685-89[DOI: http://dx.doi.org/10.18203/2394-6040.ijcmph20162606]
- 11. Singh MM, Rahi M, Pagare D, Ingle GK. Medical students's perception on eye donation in Delhi. Indian J Ophthalmol.2007;55(1):49-53[DOI:10.4103/0301-4738.29495.]
- 12. Singh M, Bharadwaj A, Ahliwalia SK, Saini S, Qadri S. Eye donation: perception and promoting factors among medical students. Indian J Community Health. 2012;3(24):175-8 [DOI: http://dx.doi.org/10.18203/2394-6040.ijcmph20162606]
- 13. Nekar MS ,Lokare L, Gokhale SA, Godbole M,Mulkipatil SY .Awareness of eye donation among college students of Hubli city, Karnataka .Int J Biomed Res .2012;3(4):201-4[DOI:10.7439/ijbr.v3i4.415]
- 14. Dhaliwal U. Enhancing eye donation rates: Training students to be motivators.Indian J Ophthalmol.2002;50(4):358-9[PMID:12355696]